

Serial No.: 10/672,337

Attorney Docket No.: 2003P08216US

**IN THE CLAIMS:**

This listing of the claims will replace all prior versions and listings of the claims in the application:

RECEIVED  
CENTRAL FAX CENTER

NOV 13 2006

1. (Currently Amended) A telecommunications system, comprising  
a plurality of network clients including a positioning controller and a  
communications controller; and

a positioning server including a coordinating controller for maintaining a  
database of network clients to be tracked and provide updates of position-related  
information to a presence server;

wherein said plurality of network clients are configured to transmit position  
information received via said positioning controller to said positioning server via said  
communications controller, said positioning information including information related to  
loss of a position signal and wherein a location based on a prior location derived from  
the position signal is assigned responsive to said loss of a position signal;

wherein contact information associated with the location is updated at the  
presence server when said position-related information is updated, said contact  
information being associated with [[a]] at least one of a plurality of telephone numbers  
~~number at~~ associated with the location.

2. (Original) A telecommunications system in accordance with claim 1,  
wherein said plurality of network clients are configured to associate said loss of said  
position signal with being inside a building.

3. (Original) A telecommunications system in accordance with claim 2,  
wherein said communications controller is adapted to transmit a position update to said  
positioning server upon a loss of said position signal.

Serial No.: 10/672,337

Attorney Docket No.: 2003P08216US

4. (Original) A telecommunications system in accordance with claim 3, wherein said communications controller is adapted to transmit said position update upon said loss of said position signal only if said loss is correlated with a predefined position-presence correlation rule.

5. (Original) A telecommunications system in accordance with claim 4, wherein said position signals comprise global positioning system signals.

6. (Original) A telecommunications system in accordance with claim 5, wherein said communications controller is a cellular telephone controller.

7. (Canceled)

8. (Currently Amended) A telecommunications device, comprising:  
a positioning controller adapted to determine positioning information for said telecommunications device;  
a cellular telephone controller adapted to receive said positioning information from said positioning controller and cause said positioning information to be transmitted to an associated server; and  
a database controller for maintaining a database of position-presence correlation rules defining when said positioning information is to be transmitted;  
wherein said position-presence correlation rules include loss of a GPS signal and a rule to define a location based on previous position signals if said GPS signal is lost and contact information associated with the position that is updated when said positioning information is updated, said contact information being associated with [[a]] at least one of a plurality of telephone numbers number at associated with the position.

Serial No.: 10/672,337

Attorney Docket No.: 2003P08216US

9. (Original) A telecommunications device as recited in claim 8, wherein said positioning controller receives Global Positioning System (GPS) signals to determine said positioning information.

10. (Canceled)

11. (Previously Presented) A telecommunications device as recited in claim 8, wherein said loss of said GPS signal is defined to indicate being inside a building.

12. (Previously Presented) A telecommunications device as recited in claim 8, wherein said cellular telephone controller transmits changes to location status to said associated server.

13. (Original) A telecommunications device as recited in claim 12, wherein said cellular telephone controller is adapted to transmit a position update to said associated server upon a loss of said position signal.

14. (Original) A telecommunications device in accordance with claim 13, wherein said cellular telephone controller is adapted to transmit said position update upon said loss of said position signal only if said loss is correlated with a predefined position-presence correlation rule.

15. (Currently Amended) A telecommunications method, comprising:  
receiving one or more user positioning and presence correlation rules at a server, wherein positioning information is received from remote users having positioning controllers for receiving location information and communication controllers for transmitting said location information to said server via a wireless communication network; and

Serial No.: 10/672,337

Attorney Docket No.: 2003P08216US

transmitting said one or more positioning and presence correlation rules to at least one of said remote users;

wherein said one or more positioning and presence correlation rules include loss of a positioning signal and a rule to define a location based on previous position signals if said positioning signal is lost and contact information associated with the position that is updated when said positioning information is updated, said contact information being associated with [[a]] at least one of a plurality of telephone numbers number-at associated with the location.

16. (Original) A telecommunications method in accordance with claim 15, further comprising:

- receiving positioning updates at said remote user; and
- transmitting presence updates to said server as specified in said one or more positioning and presence correlation rules.

17. (Original) A telecommunications method in accordance with claim 16, wherein said loss of positioning signal is defined as being inside a building.

18. (Previously Presented) A telecommunications method in accordance with claim 15, wherein said communication controller is adapted to transmit a position update to said associated server upon a loss of said position signal.

19. (Original) A telecommunications method in accordance with claim 18, wherein said communication controller is adapted to transmit said position update upon said loss of said position signal only if said loss is correlated with a predefined positioning and presence correlation rule.

20. (Original) A telecommunications method in accordance with claim 19, wherein said loss of signal is associated with a hysteresis threshold.

Serial No.: 10/672,337

Attorney Docket No.: 2003P08216US

21. (Previously Presented) A telecommunications system in accordance with claim 1, wherein said contact information is not updated if the location where a loss of signal occurs is a subset of another location associated with said contact information.

22. (Previously Presented) A telecommunications device in accordance with claim 8, wherein said contact information is not updated if the location where a loss of signal occurs is a subset of another location associated with said contact information.

23. (Previously Presented) A telecommunications method in accordance with claim 15, wherein said contact information is not updated if the location where a loss of signal occurs is a subset of another location associated with said contact information.